

## Literature

- » **Protecting the genitofemoral nerve during direct/extreme lateral interbody fusion (DLIF/XLIF) procedures**  
Jahangiri FR<sup>1</sup>, Sherman JH, Holmberg A, Louis R, Elias J, Vega-Bermudez F.  
Am J Electroneurodiagnostic Technol. 2010 Dec. ; 50(4):321-35
  
- » **Identification of the lumbosacral nerve plexus during the extreme lateral interbody fusion procedure**  
[ Article in Czech]  
Hrabálek L<sup>1</sup>, Adamus M, Wanek T.  
Acta Chir Orthop Traumatol Cech. 2011 ; 78(6):556-61
  
- » **Point-Counterpoint: The Use of Neuromonitoring in Lateral Transpsoas Surgery**  
Cheng I<sup>1</sup>, Acosta F, Chang K, Pham M.  
Spine (Phila Pa 1976). 2016 Apr ; 41 Suppl. 8:S145-51 doi: 10.1097/BRS.0000000000001461
  
- » **Monitoring lumbar plexus integrity in extreme lateral transpsoas approaches to the lumbar spine: a new protocol with anatomical bases**  
Bendersky M<sup>1</sup>, Solá C, Muntadas J, Gruenberg M, Calligaris S, Mereles M, Valacco M, Bassani J, Nicolás M.  
Eur Spine J. 2015 May ; 24(5):1051-7 doi: 10.1007/s00586-015-3801-9. Epub 2015 Feb. 13
  
- » **Can triggered electromyography monitoring throughout retraction predict postoperative symptomatic neuropraxia after XLIF? Results from a prospective multicenter trial**  
Uribe JS<sup>1</sup>, Isaacs RE, Youssef JA, Khajavi K, Balzer JR, Kanter AS, Küelling FA, Peterson MD; SOLAS Degenerative Study Group  
Eur Spine J. 2015 Apr. ; 24 Suppl 3:378-85 doi: 10.1007/s00586-015-3871-8. Epub 2015 Apr. 15
  
- » **Dynamically evoked, discrete-threshold electromyography in the extreme lateral interbody fusion approach**  
Tohmeh AG<sup>1</sup>, Rodgers WB, Peterson MD  
J Neurosurg Spine. 2011 Jan. ; 14(1):31-7 doi: 10.3171/2010.9.SPINE09871 Epub 2010 Dec. 17

